



GP160

The latest addition to Honda's engine range, the GP160 is built for light-use, domestic applications and is one of the most affordable engines Honda has produced.

INTRODUCTION

COMMON APPLICATIONS

Perfect for domestic applications and light use, the GP160 is designed to power those odd jobs around the home.

From pressure washers to water pumps to generators, it will help get the task done reliably and on time.

Of course, if it's more power you're after, including for commercial applications, it might pay to compare it with the flagship GX160. Click on the "Compare Products" icon in the top right of this page to see how the GP160 stacks up.

GREAT FUEL EFFICIENCY

The GP160's Precision Camshaft design offers precise valve timing and optimal valve overlap for better fuel efficiency.

It draws on decades of Honda engineering - the GX160 in particular - with its OHV design, delivering increased efficiency and optimal power transfer for where you need it.

A success overseas, its introduction into Australia further reinforces Honda's reputation as a company that helps people get things done.

EASY TO USE

A ball bearing-supported crankshaft and precision engineered components result in greater stability and lower vibration for you, no matter what the application.

The use of lightweight, noise-reducing materials and a forged steel crankshaft & rigid crankcase results in an exceptionally quiet engine that incorporates a large capacity, multi-chamber exhaust system.

And with a simple Throttle Control, large Fuel Tank and Automotive Type Fuel Cap, Dual Oil Drains and Fills, an easily accessible Spark Plug and Recoil Starter, the GP160 is there to help you out.

BACK-UP & WARRANTY

Available from over 400 independent, authorised Honda Power Equipment dealers Australia-wide, if you're looking for a GP160 then there are plenty of Honda folk around who will gladly help you out.

If you're not sure where your closest Honda dealer is, click on the "Buy" tab to locate the most convenient place for you.

The GP160 engine comes standard with a 1-year Domestic Warranty and with proper maintenance it will last you many years!

SPECS

SPECIFICATIONS

MODEL	GP160
TYPE	4-stroke, overhead valve, single-cylinder, horizontal shaft
BORE & STROKE	68 x 45 mm
DISPLACEMENT	163 cm3
COMPRESSION RATIO	8.5:1
NET POWER	3.6kW (4.8HP) at 3,600 rpm
CONTINUOUS RATED POWER	2.9kW (3.9HP) at 3,600 rpm
MAXIMUM NET TORQUE	10.3 Nm at 2,500 rpm
IGNITION SYSTEM	Transistorised magneto ignition
STARTING SYSTEM	Recoil
COOLING SYSTEM	Forced-Air

PTO SHAFT ROTATION	Counter-clockwise (from P.T.O. side)
FUEL CONSUMPTION AT RATED POWER	1.4 L/h at 3,600 rpm
RECOMMENDED FUEL	Unleaded
LUBRICATION SYSTEM	Splash
RECOMMENDED OIL	10W/30 API SG
OIL CAPACITY	0.6l
FUEL TANK CAPACITY	3.1l
DIMENSIONS	314 x 363 x 335mm
DRY WEIGHT	15.1kg
OTHER OPTIONS	N/A
RRP	Please contact your local Honda dealer for a great deal. http://dl.hondampe.com.au/

VISIT HONDA POWER EQUIPMENT WEBSITE

For terms and conditions please visit http://about.hondampe.com.au/Terms_and_Conditions

The information in this document is valid as of 15/01/2016. For the most up to date information please visit <http://powerequipment.honda.com.au>